(in accordance with Regulation (EU) 2015/830)

## THY058-Eyes make-up remover Bi-Phase



Version: 1

Revision date: 26/10/2017

Page 1 of 8 Print date: 26/10/2017

## SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING.

### 1.1 Product identifier.

Product Name:

Eyes make-up remover Bi-Phase

Product Code:

**THY058** 

### 1.2 Relevant identified uses of the mixture and uses advised against.

Product for removing makeup eyes

### Uses advised against:

Uses other than those recommended.

### 1.3 Details of the supplier of the safety data sheet.

Company:

Thuya S.L.

Address:

Carrer de Sant Gervasi de Cassoles, 68.

City:

Barcelona

Province: Telephone: Barcelona (Spain) +34 932 12 74 12

Fax:

+34 932 12 59 76 info@thuya.com

E-mail: Web:

http://www.thuya.com/

1.4 Emergency telephone number: +34 932 12 74 12 (Only available during office hours; Monday-Friday; 09:00-18:00)

## **SECTION 2: HAZARDS IDENTIFICATION.**

## 2.1 Classification of the mixture.

In accordance with Regulation (EU) No 1272/2008:

Asp. Tox. 1: May be fatal if swallowed and enters airways.

## 2.2 Label elements.

## Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:



## Signal Word:

## **Danger**

H statements:

H304

May be fatal if swallowed and enters airways.

P statements:

P301+P310

IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P331 Do NOT induce vomiting.

P405

Store locked up.

P501

Dispose of contents/container to ...

EUH statements:

EUH070

Toxic by eye contact.

Contains

Hydrocarbons, C4, 1,3-butadiene-free, polymd., tetraisobutylene fraction, hydrogenated

(in accordance with Regulation (EU) 2015/830)

## THY058-Eyes make-up remover Bi-Phase



I ROLLSSIONAL LI

Print date: 26/10/2017

Page 2 of 8

Version: 1

Revision date: 26/10/2017

### 2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

### 3.1 Substances.

Not Applicable.

### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

Stentifics:	Same Same Same Same Same Same Same Same	Concrusate E i	Po assirancia No. 127 Po assirancia	Registrones (Con- 2020): Secolar (Con- 2020): Secol
CAS No: 93685-80-4 EC No: 297-628-2 Registration No: 01- 2119486102-45-XXXX	Hydrocarbons, C4, 1,3-butadiene-free, polymd., tetraisobutylene fraction, hydrogenated	10 - 25 %	Acute Tox. 4, H332 - Asp. Tox. 1, H304	-
CAS No: 137-16-6 EC No: 205-281-5 Registration No: 01- 2119527780-39-XXXX	sodium N-lauroylsarcosinate	0 - 1 %	Eye Dam. 1, H318	-

<sup>(\*)</sup> The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

## **SECTION 4: FIRST AID MEASURES.**

### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

## Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration. Do not administer anything orally. If unconscious, place them in a suitable position and seek medical assistance.

### Eye contact.

If wearing contact lenses, remove them. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

### Skin contact

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. **NEVER** use solvents or thinners.

## Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed.

Harmful Product, prolonged exposure due to inhalation may cause anaesthetic effects and the need for immediate medical assistance.

## 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

(in accordance with Regulation (EU) 2015/830)

## THY058-Eyes make-up remover Bi-Phase



Version: 1

Revision date: 26/10/2017

Page 3 of 8 Print date: 26/10/2017

## **SECTION 5: FIREFIGHTING MEASURES.**

The product does not present any particular risk in case of fire.

## 5.1 Extinguishing media.

## Recommended extinguishing methods.

Extinguisher powder or CO<sub>2</sub>. In case of more serious fires, also alcohol-resistant foam and water spray. Do not use a direct stream of water to extinguish.

## 5.2 Special hazards arising from the mixture.

### Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

## 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

## Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and gloves.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

## 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

## 6.2 Environmental precautions.

Prevent the contamination of drains, surface or subterranean waters, and the ground.

## 6.3 Methods and material for containment and cleaning up.

Pick up the spill with non-combustible absorbent materials (soil, sand, vermiculite, diatomite, etc.). Pour the product and the absorbent in an appropriate container. The contaminated area should be immediately cleaned with an appropriate decontaminator. Pour the decontaminator on the remains in an opened container and let it act various days until no further reaction is produced.

## 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

## **SECTION 7: HANDLING AND STORAGE.**

## 7.1 Precautions for safe handling.

For personal protection, see section 8. Never use pressure to empty the containers. They are not pressure-resistant containers. In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Keep the product in containers made of a material identical to the original.

## 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 35° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

## 7.3 Specific end use(s).

External use

(in accordance with Regulation (EU) 2015/830)

# THY058-Eyes make-up remover Bi-Phase



Version: 1

Revision date: 26/10/2017

Page 4 of 8

Print date: 26/10/2017

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

## 8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

## 8.2 Exposure controls.

<u>Measures of a technical nature:</u>
Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

oses Bibbindiskadises				
PPE:	Filter mack for protection against gases and particles.			
Characteristics:	«CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.			
CEN standards:	EN 126 EN 140 EN 405			
	Chould not be stored in places exposed to high temperatures and damp environments before use. Special 1			
Maintenance:	attention should be paid to the state of the inhalation and exhalation valves in the face adaptor.  Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach			
Observations:	the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.			
Filter Type needed:	A2			
Hand protections				
PPE: Characteristics:	Protective gloves against chemicals. «CE» marking, category III.			
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420			
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible.  Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.  Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight.			
Observations:	Always use with clean, dry hands.			
Material:	DVC (polyainy) chloride) Dicardinodgii anto > 480			
	PVC (polyviny) chorder   (min.):   (mm):			
: ye protection:				
	Protective goggles with built-in frame.			
ARTE DIOLEGICATE	Protective goggles with built-in frame. «CE» marking, category II. Eye protector with built-in frame for protection against splashing liquid, dust, smoke, fog and vapour.			
Eye protection?	Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against splashing liquid, dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168			
PPE: Characteristics:	Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against splashing liquid, dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.			
PPE: Characteristics: CEN standards:	Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against splashing liquid, dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses,			
PPE: Characteristics: CEN standards: Maintenance:	Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against splashing liquid, dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.			
PPE: Characteristics: CEN standards: Maintenance: Observations:	Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against splashing liquid, dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.			
PPE: Characteristics: CEN standards: Maintenance: Observations:	Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against splashing liquid, dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.			
PPE: Characteristics: CEN standards: Maintenance: Observations: PPE:	Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against splashing liquid, dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  Protective clothing.  «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.  EN 340			
PPE: Characteristics: CEN standards: Maintenance: Observations: Skapprotections PPE: Characteristics:	Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against splashing liquid, dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  Protective clothing.  «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.  EN 340  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.			
PPE: Characteristics: CEN standards: Maintenance: Observations: Standards: PPE: Characteristics: CEN standards:	Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against splashing liquid, dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  Protective clothing.  «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.  EN 340  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.			
PPE: Characteristics: CEN standards: Maintenance: Observations: Standards: PPE: Characteristics: CEN standards: Maintenance: Observations: PPE: PPE:	Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against splashing liquid, dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  Protective clothing.  «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.  EN 340  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  Work footwear.			
PPE: Characteristics: CEN standards: Maintenance: Observations: PPE: Characteristics: CEN standards: Maintenance: Observations: PPE: Characteristics: CEN standards: Maintenance: Observations:	Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against splashing liquid, dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  Protective clothing.  «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.  EN 340  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  Work footwear.  «CE» marking, category II.			
PPE: Characteristics: CEN standards: Maintenance: Observations: Standards: PPE: Characteristics: CEN standards: Maintenance: Observations: PPE: PPE:	Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against splashing liquid, dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  Protective clothing.  «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.  EN 340  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  Work footwear.			

(in accordance with Regulation (EU) 2015/830)

## **THY058-Eyes make-up remover Bi-Phase**



Version: 1

Revision date: 26/10/2017

Page 5 of 8

Print date: 26/10/2017

Observations:

Work footwear for professional use includes protection elements aimed at protecting users against any

injury resulting from an accident

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

## 9.1 Information on basic physical and chemical properties.

Appearance: Blue and colorless two-phase liquid

Colour: N.A./N.A. Odour: N.A./N.A.

Odour threshold: N.A./N.A.

pH:N.A./N.A.

Melting point: N.A./N.A.
Boiling Point: N.A./N.A.
Flash point: > 60 °C
Evaporation rate: N.A./N.A.

Inflammability (solid, gas): N.A./N.A. Lower Explosive Limit: N.A./N.A. Upper Explosive Limit: N.A./N.A. Vapour pressure: N.A./N.A. Vapour density:N.A./N.A. Relative density:N.A./N.A. Solubility:N.A./N.A. Liposolubility: N.A./N.A. Hydrosolubility: N.A./N.A.

Partition coefficient (n-octanol/water): N.A./N.A.

Auto-ignition temperature: N.A./N.A. Decomposition temperature: N.A./N.A.

Viscosity: N.A./N.A.

Explosive properties: N.A./N.A. Oxidizing properties: N.A./N.A.

N.A./N.A. = Not Available/Not Applicable due to the nature of the product

## 9.2 Other information.

Pour point: N.A./N.A. Blink: N.A./N.A.

Kinematic viscosity: N.A./N.A.

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

## **SECTION 10: STABILITY AND REACTIVITY.**

## 10.1 Reactivity.

The product does not present hazards by their reactivity.

## 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

## 10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

## 10.4 Conditions to avoid.

Avoid any improper handling.

## 10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

## 10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

(in accordance with Regulation (EU) 2015/830)

## **THY058-Eyes make-up remover Bi-Phase**



Version: 1

Revision date: 26/10/2017

Page 6 of 8 Print date: 26/10/2017

## SECTION 11: TOXICOLOGICAL INFORMATION.

## 11.1 Information on toxicological effects.

There are no tested data available on the product.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

Splatters in the eyes can cause irritation and reversible damage.

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Not conclusive data for classification.

c) serious eye damage/irritation;

Based on available data, the classification criteria are not met.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Product classified:

Aspiration toxicity, Category 1: May be fatal if swallowed and enters airways.

## SECTION 12: ECOLOGICAL INFORMATION.

## 12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

## 12.2 Persistence and degradability.

No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potencial.

No information is available regarding the bioaccumulation of the substances present.

## 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

## 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

(in accordance with Regulation (EU) 2015/830)

## **THY058-Eyes make-up remover Bi-Phase**



Page 7 of 8

Revision date: 26/10/2017 Print date: 26/10/2017

## **SECTION 13 DISPOSAL CONSIDERATIONS.**

### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

## **SECTION 14: TRANSPORT INFORMATION.**

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6. **14.1 UN number.** 

Transportation is not dangerous.

### 14.2 UN proper shipping name.

Description:

Version: 1

ADR: Transportation is not dangerous. IMDG: Transportation is not dangerous. ICAO: Transportation is not dangerous.

### 14.3 Transport hazard class(es).

Transportation is not dangerous.

## 14.4 Packing group.

Transportation is not dangerous.

### 14.5 Environmental hazards.

Transportation is not dangerous.

### 14.6 Special precautions for user.

Transportation is not dangerous.

## 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

Transportation is not dangerous.

## **SECTION 15: REGULATORY INFORMATION.**

## 15.1 Safety, health and environmental regulations/legislation specific for the mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

The product is not affected by Directive 2012/18/EU (SEVESO III).

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

## 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## **SECTION 16: OTHER INFORMATION.**

Complete text of the H phrases that appear in section 3:

(in accordance with Regulation (EU) 2015/830)

## THY058-Eyes make-up remover Bi-Phase

fuya PROFESSIONAL LINE

Page 8 of 8 Print date: 26/10/2017

Version: 1

Revision date: 26/10/2017

H304

May be fatal if swallowed and enters airways.

H318

Causes serious eye damage.

H332

Harmful if inhaled.

### Classification codes:

Acute Tox. 4: Acute toxicity (Inhalation), Category 4 Asp. Tox. 1 : Aspiration toxicity, Category 1 Eye Dam. 1: Serious eye damage, Category 1

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

CEN:

European Committee for Standardization.

PPE:

Personal protection equipment.

Key literature references and sources for data: http://eur-lex.europa.eu/homepage.html http://echa.europa.eu/ Regulation (EU) 2015/830. Regulation (EC) No 1907/2006. Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

